

Cheatsheet

Truncate/empty all tables

```
SELECT 'TRUNCATE TABLE ' || tablename || ' CASCADE;' FROM pg_tables WHERE tableowner='acovix_devl';
```

Show process / query list

```
SELECT * FROM pg_stat_activity;

-- active queries
SELECT pid, age(query_start, clock_timestamp()), username, query
FROM pg_stat_activity
WHERE query != '<IDLE>' AND query NOT ILIKE '%pg_stat_activity%'
ORDER BY query_start desc;
```

Kill running query

```
SELECT pg_cancel_backend(procpid);

-- kill idle query
SELECT pg_terminate_backend(procpid);
```

List databases size

```
select datname, pg_size_pretty(pg_database_size(datname)) from pg_database order by
pg_database_size(datname) desc;
```

Show all triggers from a schema

```
SELECT
    event_object_table,
    trigger_name,
    event_manipulation,
    action_statement,
    action_timing
FROM information_schema.triggers ORDER BY event_object_table, event_manipulation;
```

Rename database

```
alter database old_name rename to new_name;
```

Set database owner

```
alter database sample_name owner to david;
```

Rename role

```
alter role role_name rename to new_role_name;
```

- set password, because after rename password is cleared

List enum

```
select n.nspname as enum_schema,
    t.typname as enum_name,
    string_agg(e.enumlabel, ', ') as enum_value
from pg_type t
    join pg_enum e on t.oid = e.enumtypid
    join pg_catalog.pg_namespace n ON n.oid = t.typnamespace
group by enum_schema, enum_name
```

Revision #2

Created 30 March 2021 10:12:29 by Liviu

Updated 30 March 2021 10:18:05 by Liviu